



### AM




### PM






## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Thursday 07 03 2019



Gliding snow



2600m



Wet snow



Caution is to be exercised in areas with glide cracks.

A latent danger of gliding avalanches exists. This applies on steep grassy slopes below approximately 2600 m, especially on sunny slopes. Caution is to be exercised in areas with glide cracks. As a consequence of warming during the day and solar radiation moist loose snow avalanches are to be expected. This applies on extremely steep sunny slopes.

## Snowpack

**Danger patterns**

dp 2: gliding snow

dp 10: springtime scenario


The fresh wind slabs have bonded well with the old snowpack. The old snowpack will be stable over a wide area. The snowpack will be wet all the way through at low altitude. The surface of the snowpack will soften during the day. This applies at low and intermediate altitudes as well as on sunny slopes.

## Tendency

The avalanche danger will persist.

## Danger Level 2 - Moderate


AM:



**Tendency: Constant avalanche danger** →  
 on Thursday 07 03 2019



PM:



**Tendency: Constant avalanche danger** →  
 on Thursday 07 03 2019



Slight increase in avalanche danger as a consequence of warming during the day and solar radiation.

A low (level 1) danger of gliding avalanches exists. This applies on steep grassy slopes below approximately 2600 m, especially on sunny slopes. Caution is to be exercised in areas with glide cracks. The fresh wind slabs can be released, even by a single winter sport participant, but they will be small in most cases. The avalanche prone locations are to be found on very steep shady slopes above approximately 2800 m. The avalanche prone locations are rare and are clearly recognisable to the trained eye. As a consequence of warming during the day and solar radiation moist loose snow avalanches are to be expected. This applies on extremely steep sunny slopes.

## Snowpack

**Danger patterns**

dp 2: gliding snow

dp 10: springtime scenario


The fresh wind slabs are lying on soft layers on shady slopes above approximately 2800 m. This applies in places that are protected from the wind. The old snowpack will be stable over a wide area. The snowpack will be wet all the way through at low altitude. The surface of the snowpack will soften during the day. This applies at low and intermediate altitudes as well as on sunny slopes.

## Tendency

The avalanche danger will persist.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Thursday 07 03 2019



Caution is to be exercised in areas with glide cracks. Fresh wind slabs in high Alpine regions.

A latent danger of gliding avalanches exists. This applies on steep grassy slopes below approximately 2600 m, especially on sunny slopes. Caution is to be exercised in areas with glide cracks. The fresh wind slabs can be released, even by a single winter sport participant, but they will be small in most cases. The avalanche prone locations are to be found on very steep shady slopes above approximately 2800 m. The avalanche prone locations are rare and are clearly recognisable to the trained eye. As a consequence of warming during the day and solar radiation moist loose snow avalanches are to be expected. This applies on extremely steep sunny slopes.

### Snowpack

**Danger patterns**

dp 2: gliding snow

dp 6: cold, loose snow and wind

The fresh wind slabs are lying on soft layers on shady slopes above approximately 2800 m. This applies in places that are protected from the wind. The old snowpack will be stable over a wide area. The snowpack will be wet all the way through at low altitude. The surface of the snowpack will soften during the day. This applies at low and intermediate altitudes as well as on sunny slopes.


### Tendency

The avalanche danger will persist.



## Danger Level 2 - Moderate

**AM:**




**Tendency: Constant avalanche danger** →  
on Thursday 07 03 2019

**PM:**



**Tendency: Constant avalanche danger** →  
on Thursday 07 03 2019



Wet snow



Slight increase in avalanche danger as a consequence of warming during the day and solar radiation.

As a consequence of warming during the day and solar radiation individual small moist loose snow avalanches are possible. This applies on extremely steep sunny slopes.

## Snowpack

**Danger patterns**

dp 10: springtime scenario

The snowpack will be in most cases stable. The snowpack will be wet all the way through at low altitude. The surface of the snowpack will soften during the day. This applies at low and intermediate altitudes as well as on sunny slopes.

## Tendency

The avalanche danger will persist.