




Danger Level 3 - Considerable



Tendency: Constant avalanche danger →
on Wednesday 11 12 2019



Wind-drifted
snow



Treeline

Fresh wind slabs are to be evaluated critically.

As a consequence of fresh snow and strong wind there will be an increase in the avalanche danger to level 3 (considerable). Fresh and somewhat older wind slabs represent the main danger, caution is to be exercised in particular on steep northwest, north and east facing slopes as well as adjacent to ridgelines and in gullies and bowls. The number and size of avalanche prone locations will increase with altitude. Avalanches can mostly be released, even by a single winter sport participant and reach medium size. A latent danger of gliding avalanches exists. Caution is to be exercised in areas with glide cracks.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind

dp 5: snowfall after a long period of cold


Over a wide area 10 to 20 cm of snow. will fall. The strong wind will transport the fresh and old snow. In some cases wind slabs are lying on soft layers.

Tendency

The avalanche danger will persist.



Danger Level 3 - Considerable



Tendency: Constant avalanche danger →
 on Wednesday 11 12 2019



Wind-drifted
 snow



Treeline



New snow



Treeline

Fresh wind slabs are to be evaluated critically.

As a consequence of fresh snow and strong wind there will be an increase in the avalanche danger to level 3 (considerable). Fresh and somewhat older wind slabs represent the main danger, caution is to be exercised in particular on steep northwest, north and east facing slopes as well as adjacent to ridgelines and in gullies and bowls. The number and size of avalanche prone locations will increase with altitude. Avalanches can mostly be released, even by a single winter sport participant and reach medium size. Individual mostly small natural avalanches are possible. A latent danger of gliding avalanches exists. Caution is to be exercised in areas with glide cracks.

Snowpack

Danger patterns

dp 5: snowfall after a long period of cold

dp 6: cold, loose snow and wind


In some regions up to 40 cm of snow will fall. The strong wind will transport the fresh and old snow. In some cases wind slabs are lying on soft layers.

Tendency

The avalanche danger will persist.



Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Wednesday 11 12 2019



Wind-drifted
snow



Treeline

Fresh wind slabs require caution.

As a consequence of the strong northerly wind there will be an increase in the avalanche danger to level 2 (moderate). Fresh and somewhat older wind slabs represent the main danger, caution is to be exercised in particular on steep slopes in all aspects, especially adjacent to ridgelines and in gullies and bowls. The number and size of avalanche prone locations will increase with altitude. Avalanches can be released, even by a single winter sport participant and reach medium size. In regions neighbouring those that are subject to danger level 3 (considerable) avalanche prone locations are more prevalent and the danger is greater. A latent danger of gliding avalanches exists. Caution is to be exercised in areas with glide cracks.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind


0 to 5 cm of snow. will fall, in particular in the north. The strong wind will transport the fresh and old snow. In some cases wind slabs are lying on soft layers.

Tendency

The avalanche danger will persist.



Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Wednesday 11 12 2019



Wind-drifted
snow



Treeline

Fresh wind slabs require caution.

Only a little snow is lying in all altitude zones. As a consequence of fresh snow and wind the wind slabs will increase in size. This applies in particular on steep shady slopes adjacent to ridgelines and in gullies and bowls. Mostly avalanches are only small but easily released.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind

In some regions up to 30 cm of snow. will fall. As a consequence of a sometimes strong westerly wind, easily released wind slabs will form in particular adjacent to ridgelines and in gullies and bowls. In some cases wind slabs are lying on soft layers. This applies in particular on steep shady slopes. No distinct weak layers exist in the old snowpack in all altitude zones. At low and intermediate altitudes hardly any snow is lying.

Tendency

The avalanche danger will persist.