


## Danger Level 3 - Considerable



**Tendency: Constant avalanche danger** →  
on Tuesday 31 12 2019



Wind-drifted  
snow



Treeline



Gliding snow



2400m

The wind slabs represent the main danger.

Ski touring and other off-piste activities, including snowshoe hiking, call for meticulous route selection, in particular on steep slopes above approximately 1800 m. Great caution and restraint are advisable. The more recent wind slabs are extensive and can in some cases be released easily. Single winter sport participants can release avalanches very easily, in particular on wind-loaded slopes. Below approximately 2400 m small and medium-sized gliding avalanches are possible.


### Snowpack

The wind slabs are to be found in particular adjacent to ridgelines and in gullies and bowls and generally in the high Alpine regions. They are extensive and prone to triggering. In some cases the wind slabs have bonded still only poorly with the old snowpack. The old snowpack will be moist below approximately 2200 m. In steep terrain there is a danger of falling on the icy crust.

### Tendency

Wind slabs represent the main danger. In addition an appreciable danger of gliding avalanches exists, in particular in the regions with a lot of snow in particular below approximately 2200 m.

## Danger Level 3 - Considerable



2400m


**Tendency: Decreasing avalanche danger**  
 on Tuesday 31 12 2019



Wind-drifted  
 snow



2400m



Gliding snow



2600m

### Wind slabs require caution.

Fresh and somewhat older wind slabs are to be assessed with care and prudence. Caution is to be exercised adjacent to ridgelines as well as in gullies and bowls, and behind abrupt changes in the terrain in particular above approximately 2400 m. Single snow sport participants can release avalanches as before, including medium-sized ones.

Dry avalanches can additionally be released in deeper layers, mostly by large additional loads. This applies in particular on steep south facing slopes above approximately 2600 m as well as on steep east and west facing slopes above approximately 2400 m. In particular transitions from a shallow to a deep snowpack are unfavourable.

Small to medium-sized gliding avalanches are possible. This applies in particular on steep grassy slopes, especially on east, south and west facing slopes below approximately 2600 m, but in isolated cases also on steep shady slopes below approximately 2000 m.

### Snowpack

**Danger patterns**

dp 6: cold, loose snow and wind


dp 2: gliding snow

The wind will be moderate in some regions. In particular adjacent to ridgelines the wind slabs will increase in size moderately. In some cases the wind slabs have bonded still only poorly together, in particular at high altitudes and in high Alpine regions. Faceted weak layers exist in the old snowpack in particular in areas where the snow cover is rather shallow. This applies in particular adjacent to ridgelines as well as on steep east, south and west facing slopes at high altitudes and in high Alpine regions.

### Tendency

Further decrease in danger of dry avalanches. Slight increase in danger of gliding avalanches.



## Danger Level 3 - Considerable




**Tendency: Decreasing avalanche danger**  
 on Tuesday 31 12 2019



Wind-drifted  
 snow



Gliding snow



### The fresh wind slabs represent the main danger.

Fresh and somewhat older wind slabs must be evaluated with care and prudence in all aspects above approximately 2200 m. Avalanches can be released by a single winter sport participant and reach large size in isolated cases. The wind slabs are to be found in particular adjacent to ridgelines and in gullies and bowls. In isolated cases avalanches can be triggered in deep layers of the snowpack and reach quite a large size. The number and size of avalanche prone locations will increase with altitude. Especially below approximately 2600 m small and medium-sized gliding avalanches and moist snow slides are possible. Areas with glide cracks are to be avoided. The current avalanche situation calls for extensive experience in the assessment of avalanche danger and restraint.

### Snowpack

**Danger patterns**

dp 6: cold, loose snow and wind

dp 2: gliding snow

In some cases the various wind slabs have bonded still only poorly with each other and the old snowpack. Faceted weak layers exist in the old snowpack, in particular on steep, rather lightly snow-covered east, south and west facing slopes as well as adjacent to ridgelines above approximately 2200 m.

### Tendency

Further decrease in danger of dry avalanches. In addition a latent danger of gliding avalanches and moist snow slides exists.

## Danger Level 2 - Moderate




**Tendency: Decreasing avalanche danger**  
on Tuesday 31 12 2019




Wind-drifted  
snow



2400m



Gliding snow



2600m

### Wind slabs in particular on near-ridge slopes.

Fresh and older wind slabs are to be evaluated with care and prudence above approximately 2200 m. The avalanche prone locations are to be found in particular adjacent to ridgelines. The avalanche prone locations are clearly recognisable to the trained eye. Avalanches can in isolated cases be released by small loads and reach medium size. The wind slabs are to be bypassed in particular in very steep terrain. Especially below approximately 2600 m small and medium-sized gliding avalanches and moist snow slides are possible. Areas with glide cracks are to be avoided.

### Snowpack

#### Danger patterns

dp 6: cold, loose snow and wind


dp 2: gliding snow

In some cases the various wind slabs have bonded still only poorly together, in particular adjacent to ridgelines. The snowpack will become increasingly stable. This applies in particular at low and intermediate altitudes.

### Tendency

Gradual decrease in danger of dry avalanches. Slight increase in danger of gliding avalanches.

## Danger Level 2 - Moderate




**Tendency: Decreasing avalanche danger**  
 on Tuesday 31 12 2019



Wind-drifted  
 snow



Treeline



Gliding snow



2400m

### Wind slabs in particular on near-ridge slopes.

The fresh wind slabs are to be evaluated with care and prudence above the tree line. The avalanche prone locations are to be found in particular adjacent to ridgelines. The avalanche prone locations are clearly recognisable to the trained eye. Avalanches can in isolated cases be released by small loads and reach medium size. The wind slabs are to be bypassed in particular in very steep terrain.

Especially below approximately 2400 m small and medium-sized gliding avalanches and moist snow slides are possible. Areas with glide cracks are to be avoided.

### Snowpack

**Danger patterns**

dp 6: cold, loose snow and wind

dp 2: gliding snow

In some cases the various wind slabs have bonded still only poorly together, in particular adjacent to ridgelines. The snowpack will become increasingly stable. This applies in particular at low and intermediate altitudes.

### Tendency

Gradual decrease in danger of dry avalanches. Slight increase in danger of gliding avalanches.