




## Danger Level 3 - Considerable



**Tendency: Constant avalanche danger** →  
on Saturday 08 02 2020



Wind-drifted  
snow



Treeline

The backcountry and freeriding conditions remain to some extent critical. Wind slabs represent the main danger.

As a consequence of fresh snow and a storm force to violent wind, extensive wind slabs formed in the last three days especially in gullies and bowls and behind abrupt changes in the terrain. Even single winter sport participants can release avalanches in many places, including dangerously large ones.

As a consequence of solar radiation individual natural loose snow slides are possible. This applies in particular on extremely steep sunny slopes.

## Snowpack

### Danger patterns

dp 6: cold, loose snow and wind

dp 9: graupel blanketed with snow


The snowpack will be subject to considerable local variations. Since Tuesday extensive wind slabs formed in particular above the tree line. In some cases the various wind slabs have bonded still only poorly together. The old snowpack will be wet all the way through below approximately 2300 m.

## Tendency

Gradual decrease in avalanche danger.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Saturday 08 02 2020



Wind-drifted  
snow



Treeline

### Wind slabs require caution.

The mostly shallow wind slabs of the last three days can be released easily above the tree line. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls in all aspects. They will increase with altitude. In the regions neighbouring those that are subject to danger level 3 (considerable) the avalanche danger is higher.

### Snowpack

#### Danger patterns

dp 6: cold, loose snow and wind

The sometimes storm force wind has transported the fresh and old snow significantly. In particular adjacent to ridgelines and in gullies and bowls brittle wind slabs formed. This applies in particular above the tree line.

### Tendency

The danger of dry slab avalanches will decrease gradually.