




Danger Level 4 - High



Tendency: Constant avalanche danger →
on Wednesday 04 03 2020



Wind-drifted
snow



Treeline



New snow



As a consequence of fresh snow and wind a critical avalanche situation will be encountered in some regions.

Wind slabs: As a consequence of fresh snow and a strong northerly wind, avalanche prone wind slabs will form above the tree line, in particular in gullies and bowls, and behind abrupt changes in the terrain at high altitudes and in high Alpine regions in all aspects. Even single winter sport participants can release avalanches easily, including large ones. A few natural avalanches are to be expected, in the regions exposed to a lot of wind in particular in the regions exposed to heavier precipitation and.

Gliding avalanches: In the regions exposed to heavier precipitation there will be a gradual increase in the danger of gliding avalanches, in particular on steep south facing slopes below approximately 2000 m.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind


Over a wide area 30 to 60 cm of snow, and up to 70 cm in some localities, will fall. The sometimes strong wind will transport the fresh snow. The fresh snow and wind slabs will be deposited on soft layers in all aspects. The snowpack will be subject to considerable local variations. Individual weak layers exist in the old snowpack in particular on steep shady slopes.

Tendency

Slight decrease in avalanche danger as a consequence of the ceasing of precipitation.




Danger Level 3 - Considerable



Tendency: Constant avalanche danger →
on Wednesday 04 03 2020



Wind-drifted
snow



New snow



As a consequence of fresh snow and wind a critical avalanche situation will be encountered in some regions.

Wind slabs: As a consequence of fresh snow and a strong northerly wind, avalanche prone wind slabs will form above the tree line, in particular in gullies and bowls, and behind abrupt changes in the terrain at high altitudes and in high Alpine regions in all aspects. Even single winter sport participants can release avalanches easily, including large ones. A few natural avalanches are to be expected, in the regions exposed to a lot of wind in particular in the regions exposed to heavier precipitation and.

Gliding avalanches: In the regions exposed to heavier precipitation there will be a gradual increase in the danger of gliding avalanches, in particular on steep south facing slopes below approximately 2000 m.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind


Over a wide area 20 to 40 cm of snow, and up to 50 cm in some localities, will fall. The sometimes strong wind will transport the fresh snow. The fresh snow and wind slabs will be deposited on soft layers in all aspects. The snowpack will be subject to considerable local variations. Individual weak layers exist in the old snowpack in particular on steep shady slopes.

Tendency

Slight decrease in avalanche danger as a consequence of the ceasing of precipitation.



Danger Level 3 - Considerable



Tendency: Constant avalanche danger →
on Wednesday 04 03 2020



Wind-drifted
snow



1800m



New snow



As a consequence of fresh snow and wind a critical avalanche situation will be encountered in some regions.

Wind slabs: As a consequence of fresh snow and a strong northerly wind, avalanche prone wind slabs will form above the tree line, in particular in gullies and bowls, and behind abrupt changes in the terrain at high altitudes and in high Alpine regions in all aspects. Even single winter sport participants can release avalanches easily, including large ones. A few natural avalanches are to be expected, in the regions exposed to a lot of wind in particular in the regions exposed to heavier precipitation and.

Gliding avalanches: In the regions exposed to heavier precipitation there will be a gradual increase in the danger of gliding avalanches, in particular on steep south facing slopes below approximately 2000 m.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind


Over a wide area 30 to 50 cm of snow, and up to 60 cm in some localities, will fall. The sometimes strong wind will transport the fresh snow. The fresh snow and wind slabs will be deposited on soft layers in all aspects. The snowpack will be subject to considerable local variations. Individual weak layers exist in the old snowpack in particular on steep shady slopes.

Tendency

Slight decrease in avalanche danger as a consequence of the ceasing of precipitation.



Danger Level 3 - Considerable



Tendency: Constant avalanche danger →
on Wednesday 04 03 2020



Wind-drifted
snow



Treeline



New snow



As a consequence of fresh snow and wind a critical avalanche situation will be encountered in some regions.

Wind slabs: As a consequence of fresh snow and a strong northerly wind, avalanche prone wind slabs will form above the tree line, in particular in gullies and bowls, and behind abrupt changes in the terrain at high altitudes and in high Alpine regions in all aspects. Even single winter sport participants can release avalanches easily, including large ones. A few natural avalanches are to be expected, in the regions exposed to a lot of wind in particular in the regions exposed to heavier precipitation and.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind


Over a wide area 30 to 40 cm of snow, and even more in some localities, will fall, especially in the Dolomites. The sometimes strong wind will transport the fresh snow. The snowpack will be subject to considerable local variations.

Tendency

Slight decrease in avalanche danger as a consequence of the ceasing of precipitation.



Danger Level 3 - Considerable



Tendency: Constant avalanche danger →
on Wednesday 04 03 2020



Wind-drifted
snow



Treeline



New snow



As a consequence of fresh snow and wind a sometimes critical avalanche situation will be encountered in some regions.

Wind slabs: As a consequence of fresh snow and a strong northerly wind, avalanche prone wind slabs will form above the tree line, in particular in gullies and bowls, and behind abrupt changes in the terrain at high altitudes and in high Alpine regions in all aspects. Even single winter sport participants can release avalanches easily, including large ones. A few natural avalanches are to be expected, in the regions exposed to a lot of wind in particular in the regions exposed to heavier precipitation and.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind


Over a wide area 15 to 30 cm of snow, and even more in some localities, will fall, especially in the Lienzer Dolomites. The sometimes strong wind will transport the fresh snow. The snowpack will be subject to considerable local variations.

Tendency

Slight decrease in avalanche danger as a consequence of the ceasing of precipitation.



Danger Level 3 - Considerable



Tendency: Constant avalanche danger
on Wednesday 04 03 2020 →



Wind-drifted
snow



Treeline



New snow



As a consequence of fresh snow and wind a sometimes critical avalanche situation will be encountered in some regions.

Wind slabs: As a consequence of fresh snow and a strong northwesterly wind, avalanche prone wind slabs will form above the tree line, in particular in gullies and bowls, and behind abrupt changes in the terrain at high altitudes and in high Alpine regions in all aspects. Even single winter sport participants can release avalanches easily, including large ones. A few natural avalanches are to be expected.

Snowpack

Danger patterns


dp 6: cold, loose snow and wind

Over a wide area 20 to 30 cm of snow. will fall. The sometimes strong wind will transport the fresh snow. The snowpack will be subject to considerable local variations.

Tendency

Slight decrease in avalanche danger as a consequence of the ceasing of precipitation.

Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Wednesday 04 03 2020



Wind-drifted
snow



Treeline

Fresh wind slabs represent the main danger.

As a consequence of fresh snow and a moderate to strong northwesterly wind, avalanche prone wind slabs will form above the tree line. They can be released even by a single winter sport participant. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls in northwest to north to east facing aspects. At elevated altitudes the avalanche prone locations are more prevalent. In the regions neighbouring those that are subject to danger level 3 (considerable) and in the regions exposed to heavier precipitation the avalanche danger is higher.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind

The snowpack will be subject to considerable local variations. The wind slabs of the last few days have bonded well with the old snowpack in all aspects. Over a wide area 10 to 20 cm of snow, and even more in some localities, will fall. The sometimes strong wind will transport the fresh snow. As the day progresses brittle wind slabs will form especially in the regions exposed to heavier precipitation.

Tendency

Gradual decrease in avalanche danger as the snowfall eases.