





## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Saturday 07 03 2020



Wind-drifted  
snow



### Wind slabs at high altitude.

As a consequence of fresh snow and a sometimes strong wind from westerly directions, mostly small wind slabs will form as the day progresses. The somewhat older wind slabs of the last few days remain in some cases prone to triggering in particular on very steep shady slopes above approximately 2200 m. The fresh and somewhat older wind slabs can be released by a single winter sport participant in some cases. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls in northwest to north to east facing aspects. At elevated altitudes the avalanche prone locations are more prevalent. In the regions neighbouring those that are subject to danger level 3 (considerable) and in the regions exposed to heavier precipitation the avalanche danger is higher.

### Snowpack

#### Danger patterns

dp 6: cold, loose snow and wind

The wind slabs of the last few days have settled a little. 10 to 15 cm of snow will fall until the early morning above approximately 1000 m. The westerly wind will transport the snow. The snowpack will be subject to considerable local variations.


Outgoing longwave radiation during the night will be severely restricted over a wide area.

### Tendency

The avalanche danger will persist.




## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Saturday 07 03 2020



Wind-drifted  
snow



### Wind slabs at high altitude.

As a consequence of a sometimes strong wind from westerly directions, mostly small wind slabs will form as the day progresses. The somewhat older wind slabs of the last few days remain in some cases prone to triggering in particular on very steep shady slopes above approximately 2200 m. The fresh and somewhat older wind slabs can be released by a single winter sport participant in some cases. The avalanche prone locations are to be found in particular adjacent to ridgelines and in gullies and bowls in northwest to north to northeast facing aspects. At elevated altitudes the avalanche prone locations are more prevalent.

### Snowpack

#### Danger patterns

dp 6: cold, loose snow and wind

The wind slabs of the last few days have settled a little. The sometimes strong wind will transport the snow. The snowpack will be subject to considerable local variations.

Outgoing longwave radiation during the night will be severely restricted over a wide area.

### Tendency

The avalanche danger will persist.