





# AM





# PM





## Danger Level 2 - Moderate

**AM:**




**Tendency: Constant avalanche danger** →  
 on Tuesday 17 03 2020



Wind-drifted  
 snow



**PM:**



**Tendency: Constant avalanche danger** →  
 on Tuesday 17 03 2020



Wind-drifted  
 snow



Wet snow



Wind slabs are in some cases prone to triggering above the tree line. Wet and gliding avalanches are to be expected from around the middle of the day.

In the last few days rather small wind slabs formed in particular adjacent to ridgelines. These are in isolated cases prone to triggering. Caution is to be exercised in particular adjacent to ridgelines and in gullies and bowls. These avalanche prone locations are rather rare and are clearly recognisable to the trained eye. Mostly the avalanches are rather small.

## Snowpack

**Danger patterns**

dp 6: cold, loose snow and wind

dp 10: springtime scenario

At low altitude no snow is lying. At intermediate altitudes the snow is wet. Outgoing longwave radiation during the night will be quite good. The fresh and somewhat older wind slabs have bonded well with the old snowpack in all aspects.



## Tendency

Slight increase in avalanche danger as a consequence of warming during the day and solar radiation.



## Danger Level 2 - Moderate


**AM:**




**Tendency: Constant avalanche danger** →  
 on Tuesday 17 03 2020



Wind-drifted  
 snow



**PM:**



**Tendency: Constant avalanche danger** →  
 on Tuesday 17 03 2020



Wind-drifted  
 snow



Wet snow



Treeline

Wet and gliding avalanches are to be expected from around the middle of the day. Wind slabs are in some cases prone to triggering above the tree line.

In the last few days mostly small wind slabs formed in particular adjacent to ridgelines. These are in isolated cases prone to triggering, especially on very steep shady slopes above the tree line adjacent to ridgelines.

These avalanche prone locations are very rare and are clearly recognisable to the trained eye. The avalanches are rather small but in some cases easily released.

## Snowpack

**Danger patterns**

dp 10: springtime scenario

dp 6: cold, loose snow and wind


At low altitude no snow is lying. At intermediate altitudes the snow is wet. The somewhat older wind slabs have bonded well with the old snowpack in all aspects. Old wind slabs require caution.

## Tendency

Slight increase in avalanche danger as a consequence of warming during the day and solar radiation.




## Danger Level 2 - Moderate



**Tendency: Increasing avalanche danger**  
 on Tuesday 17 03 2020



Persistent weak layer



Wet snow



### Weak layers in the old snowpack necessitate caution.

Over a wide area 15 cm of snow, and even more in some localities, fell above approximately 1200 m. It must be evaluated with care and prudence in particular on steep shady slopes. Weak layers exist in the snowpack in particular on steep northeast, north and northwest facing slopes. They can be released in isolated cases, but mostly only by large additional loads, in high Alpine regions. This applies especially above approximately 2400 m and adjacent to ridgelines. These avalanche prone locations are difficult to recognise. As a consequence of warming during the day and the solar radiation, the likelihood of loose snow avalanches being released will increase gradually in particular on rocky slopes at intermediate altitudes. Moist avalanches can in very isolated cases be triggered in the old snowpack and reach medium size especially on steep shady slopes.

### Snowpack

In some places fresh snow and wind slabs are lying on a moist old snowpack. The older wind slabs have bonded well with the old snowpack. In very isolated cases weak layers exist in the old snowpack on shady slopes, in particular on shady slopes above approximately 2400 m. At low altitude a little snow is lying.

### Tendency

Gradual increase in danger of moist and wet avalanches as a consequence of warming.



## Danger Level 2 - Moderate



**Tendency: Increasing avalanche danger**  
on Tuesday 17 03 2020



Wet snow



Persistent  
weak layer



2000m

In steep rocky terrain individual natural avalanches are possible as the day progresses, but they will be mostly small.

Gradual increase in danger of dry and wet avalanches as a consequence of solar radiation. Mostly small natural avalanches are possible in particular in steep rocky terrain. Weak layers in the old snowpack can be released by large additional loads in particular on steep north facing slopes. This applies in particular on shady slopes at high altitudes and in high Alpine regions.

### Snowpack

Fresh snow and wind slabs are lying on a wet old snowpack. In some places fresh snow is lying on old snow containing large grains. This applies in particular on shady slopes at high altitudes and in high Alpine regions. At low altitude no snow is lying on south facing slopes.


### Tendency

Gradual increase in danger of moist and wet avalanches as a consequence of warming.



## Danger Level 2 - Moderate

**AM:**



**Tendency: Constant avalanche danger** →  
 on Tuesday 17 03 2020




Wind-drifted  
 snow



^ Treeline

**PM:**



**Tendency: Constant avalanche danger** →  
 on Tuesday 17 03 2020



Wind-drifted  
 snow



^ 2400m



Wet snow



^ 2600m

Wet and gliding avalanches are to be expected from around the middle of the day. Wind slabs are in individual cases still prone to triggering at high altitudes and in high Alpine regions.

In the last few days rather small wind slabs formed in particular adjacent to ridgelines. These are in some cases prone to triggering, especially adjacent to ridgelines and in gullies and bowls. Mostly the avalanches are rather small but in some cases easily released.

In addition the no longer entirely fresh wind slabs should be taken into account. These are in individual cases still prone to triggering. These avalanche prone locations are rather rare and are clearly recognisable to the trained eye.

## Snowpack

**Danger patterns**

dp 10: springtime scenario

dp 6: cold, loose snow and wind

At low altitude no snow is lying. At intermediate altitudes the snow is wet. Outgoing longwave radiation during the night will be good. The fresh and somewhat older wind slabs have bonded well with the old snowpack in all aspects below approximately 2600 m.



In some places wind slabs are lying on soft layers. In very isolated cases weak layers exist in the old snowpack in particular on northwest, north and northeast facing slopes, especially above approximately 2600 m.

## Tendency

Slight increase in avalanche danger as a consequence of warming during the day and solar radiation.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Tuesday 17 03 2020



Wind-drifted  
snow



Wet snow



Wind slabs are in some cases prone to triggering at high altitudes and in high Alpine regions.

As a consequence of a sometimes moderate southwesterly wind, small wind slabs formed on Saturday. This applies in particular adjacent to ridgelines and in gullies and bowls. These avalanche prone locations are clearly recognisable to the trained eye. Mostly the avalanches are rather small but in some cases easily released.

As a consequence of warming during the day and the solar radiation, the likelihood of moist and wet avalanches being released will increase gradually.

### Snowpack


The more recent wind slabs are to be found especially adjacent to ridgelines and in pass areas and generally in the high Alpine regions. At intermediate altitudes the snow is wet. In very isolated cases weak layers exist in the old snowpack in particular on west, north and northeast facing slopes. Outgoing longwave radiation during the night will be quite good over a wide area. The surface of the snowpack will soften during the day.

### Tendency

The weather will be mild. Gradual increase in danger of moist and wet avalanches.




## Danger Level 2 - Moderate



**Tendency: Increasing avalanche danger**  
 on Tuesday 17 03 2020




Wind-drifted  
 snow



2200m



Wet snow



2200m

The fresh wind slabs have formed in particular in the vicinity of peaks. Weak layers in the old snowpack necessitate caution.

As a consequence of a sometimes moderate southwesterly wind, small wind slabs formed on Saturday. Especially in the northwest 30 cm of snow fell above approximately 1200 m. Caution is to be exercised adjacent to ridgelines and in gullies and bowls. These avalanche prone locations are clearly recognisable to the trained eye. Mostly the avalanches are rather small but in some cases easily released.

As a consequence of warming during the day and the solar radiation, the likelihood of loose snow avalanches being released will increase gradually in particular on rocky slopes at intermediate altitudes. Weak layers exist in the snowpack in particular on steep northeast, north and northwest facing slopes. Moist avalanches can in very isolated cases be triggered in the old snowpack and reach medium size especially on steep shady slopes. They can be released in isolated cases, but mostly only by large additional loads, in high Alpine regions. This applies especially above approximately 2400 m and adjacent to ridgelines. These avalanche prone locations are difficult to recognise.

### Snowpack

The more recent wind slabs are to be found especially adjacent to ridgelines and in pass areas and generally in the high Alpine regions. At intermediate altitudes the snow is wet. In very isolated cases weak layers exist in the old snowpack in particular on west, north and northeast facing slopes. Outgoing longwave radiation during the night will be quite good over a wide area. The surface of the snowpack will soften during the day.

### Tendency

The weather will be mild. Gradual increase in danger of moist and wet avalanches.