





AM




PM



Danger Level 2 - Moderate


AM:



Wind-drifted
snow



PM:



Wet snow



Wind-drifted
snow



The danger of moist and wet avalanches will increase during the day.

The Avalanche Warning Service currently has only a small amount of information that has been collected in the field.

Early morning: More recent wind slabs represent the main danger. These can in some places be released, in particular by large loads and reach medium size.

During the day: As a consequence of warming during the day and the solar radiation, the likelihood of wet and gliding avalanches being released will increase gradually in all aspects.

Snowpack

Danger patterns

dp 6: cold, loose snow and wind


The surface of the snowpack will freeze to form a strong crust and will soften during the day. The fresh wind slabs are lying on weak layers in particular on shady slopes above the tree line. They remain in some cases prone to triggering in particular on very steep shady slopes. The weather will be mostly sunny.

Tendency

Slow warming: Further increase in danger of moist avalanches as a consequence of solar radiation.


Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
on Sunday 05 04 2020

PM:



Tendency: Constant avalanche danger →
on Sunday 05 04 2020



Wet snow



Wet avalanches as the day progresses.

The Avalanche Warning Service currently has only a small amount of information that has been collected in the field.

The older wind slabs can in some cases be released, mostly by large loads and reach medium size. This applies in particular on very steep shady slopes as well as adjacent to ridgelines and in pass areas at high altitudes and in high Alpine regions.

As a consequence of the solar radiation, the likelihood of moist and wet avalanches being released will increase gradually. As the day progresses small and, in isolated cases, medium-sized moist and wet avalanches are possible below approximately 2400 m.

Snowpack

Danger patterns

dp 10: springtime scenario

Outgoing longwave radiation during the night will be good over a wide area. The surface of the snowpack will freeze to form a strong crust and will soften during the day. Isolated avalanche prone weak layers exist in the old snowpack especially on very steep shady slopes.

Tendency

Further increase in danger of moist and wet avalanches as a consequence of warming during the day and solar radiation.