




AM



PM





Danger Level 2 - Moderate


AM:




Tendency: Constant avalanche danger →
 on Thursday 09 04 2020




Favourable situation




PM:




Tendency: Constant avalanche danger →
 on Thursday 09 04 2020



Gliding snow



Wet snow



Slight increase in avalanche danger as a consequence of warming during the day and solar radiation. At low and intermediate altitudes hardly any snow is lying.

The Avalanche Warning Service currently has only a small amount of information that has been collected in the field.

The avalanche conditions in the morning are favourable.

Midday and afternoon: Slight increase in avalanche danger as a consequence of warming during the day and solar radiation. Gliding avalanches and wet snow slides are the main danger. The avalanche prone locations are to be found in particular on very steep sunny slopes below approximately 2800 m. These places are rather rare and are easy to recognise.

In addition a low (level 1) danger of dry slab avalanches exists. This applies in particular on extremely steep shady slopes above approximately 2400 m. The avalanches are rather small and can be released by large loads.

Snowpack

Danger patterns

dp 2: gliding snow

dp 10: springtime scenario

The surface of the snowpack has frozen to form a strong crust and will soften during the day. This applies in particular on sunny slopes.

The somewhat older wind slabs are lying on weak layers in particular on shady slopes at high altitude. Such avalanche prone locations are rare.

The old snowpack will be in most cases stable. At intermediate altitudes hardly any snow is lying. At low altitude no snow is lying.




Tendency

Slight increase in danger of gliding avalanches and snow slides as a consequence of warming during the day and solar radiation.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Thursday 09 04 2020

Slight increase in avalanche danger as a consequence of warming during the day and solar radiation. At low and intermediate altitudes hardly any snow is lying.

The Avalanche Warning Service currently has only a small amount of information that has been collected in the field. The avalanche conditions are mostly favourable.

Midday and afternoon: Slight increase in avalanche danger as a consequence of warming during the day and solar radiation. Moist snow slides are the main danger. The avalanche prone locations are to be found in particular on extremely steep sunny slopes at high altitude.

Snowpack

The surface of the snowpack has frozen to form a strong crust and will soften during the day. This applies in particular on sunny slopes.

The old snowpack will be in most cases stable. At intermediate altitudes hardly any snow is lying. At low altitude no snow is lying.

Tendency

Slight increase in danger of moist snow slides as a consequence of warming during the day and solar radiation.