





# AM



# PM




## Danger Level 2 - Moderate

**AM:**




**Tendency: Constant avalanche danger** →  
 on Monday 13 04 2020


**PM:**



**Tendency: Constant avalanche danger** →  
 on Monday 13 04 2020



Gliding snow



Wet snow



Increase in danger of wet and gliding avalanches as a consequence of warming during the day and solar radiation.

The Avalanche Warning Service currently has only a small amount of information that has been collected in the field.

Early and late morning: Low avalanche danger will prevail.

Midday and afternoon: Slight increase in avalanche danger as a consequence of warming during the day and solar radiation. Gliding avalanches and wet snow slides are the main danger. The avalanche prone locations are to be found in particular on very steep sunny slopes below approximately 2800 m, but in isolated cases also on extremely steep shady slopes below approximately 2200 m.

In addition a low (level 1) danger of dry slab avalanches exists. This applies in particular on extremely steep shady slopes above approximately 2400 m. The avalanches are rather small and can only be released by large loads.

## Snowpack

**Danger patterns**

dp 2: gliding snow

dp 10: springtime scenario

A generally clear night. The surface of the snowpack has frozen to form a strong crust and will already soften in the late morning. This applies in particular on sunny slopes.

In very isolated cases weak layers exist in the old snowpack on shady slopes, especially above approximately 2400 m in areas where the snow cover is rather shallow.

At intermediate altitudes hardly any snow is lying. At low altitude no snow is lying.

## Tendency

A mostly overcast night: During the morning as well, individual gliding avalanches and moist snow slides are possible.

## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Monday 13 04 2020

Slight increase in avalanche danger as a consequence of warming during the day and solar radiation. At low and intermediate altitudes hardly any snow is lying.

The Avalanche Warning Service currently has only a small amount of information that has been collected in the field.

Low avalanche danger will be encountered over a wide area.

Midday and afternoon: Slight increase in avalanche danger as a consequence of warming during the day and solar radiation. Moist snow slides are the main danger. Individual avalanche prone locations are to be found in particular on extremely steep sunny slopes at high altitude.

### Snowpack

The surface of the snowpack has frozen to form a strong crust and will soften earlier than the day before. This applies in particular on sunny slopes.

The old snowpack will be in most cases stable. At intermediate altitudes hardly any snow is lying. At low altitude no snow is lying.

### Tendency

Slight increase in danger of moist snow slides as a consequence of warming during the day and solar radiation.