


## Danger Level 3 - Considerable



**Tendency: Constant avalanche danger** →  
on Friday 25 02 2022

Weak layers in the old snowpack necessitate caution. Wind slabs are to be evaluated with care and prudence.

The wind slabs of the last few days are in some cases still prone to triggering. They can be released by a single winter sport participant. The avalanche prone locations are to be found on steep shady slopes above approximately 2200 m. Adjacent to ridgelines and in gullies and bowls the avalanche prone locations are more prevalent.

Avalanches can in some places be released in deeper layers, even by a single winter sport participant. This applies on steep west, north and east facing slopes between approximately 2200 and 2600 m. Avalanches can in some cases reach dangerously large size.

On extremely steep sunny slopes individual small loose snow avalanches are possible as a consequence of warming during the day and solar radiation.

## Snowpack

### Danger patterns

dp.6: cold, loose snow and wind

As a consequence of a moderate to strong southwesterly wind, further wind slabs will form on Thursday. In some cases the various wind slabs have bonded poorly with each other and the old snowpack. They are mostly easy to recognise but prone to triggering.


In its middle, the snowpack is faceted and weak, especially on shady slopes between approximately 2200 and 2600 m.

## Tendency

As a consequence of falling temperatures and the light to moderate westerly wind, the snow drift accumulations will stabilise during the next few days.



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Friday 25 02 2022

### Wind slabs are to be evaluated with care and prudence.

The wind slabs of the last few days represent the main danger. They are mostly only small but prone to triggering. They can be released even by a single winter sport participant especially on steep shady slopes above approximately 2200 m. The avalanche prone locations are to be found in particular in places that are protected from the wind and in gullies and bowls, and behind abrupt changes in the terrain.

Avalanches can in very isolated cases be released in deeper layers also. This applies on steep west, north and east facing slopes between approximately 2200 and 2600 m. Avalanches can reach large size in isolated cases.

### Snowpack

#### Danger patterns

dp.6: cold, loose snow and wind

As a consequence of a moderate to strong southwesterly wind, further wind slabs will form on Thursday. The fresh and older wind slabs are bonding poorly with the old snowpack in particular on wind-protected shady slopes. They are mostly easy to recognise but prone to triggering.

In its middle, the snowpack is faceted and weak, especially on shady slopes between approximately 2200 and 2600 m.

### Tendency

The fresh wind slabs represent the main danger. As a consequence of falling temperatures and the light to moderate westerly wind, the snow drift accumulations will stabilise during the next few days.