







### Danger Level 3 - Considerable





**Tendency: Constant avalanche danger** on Saturday 26 02 2022

### Weak layers in the old snowpack necessitate caution.

Avalanches can in some places be released in the weakly bonded old snow, even by a single winter sport participant, in particular on steep west, north and east facing slopes between approximately 2200 and 2600 m. Caution is to be exercised at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example. Avalanches can in some cases reach dangerously large size.

In addition the somewhat older wind slabs are capable of being triggered in some cases still. Adjacent to ridgelines and in gullies and bowls the avalanche prone locations are more prevalent.

#### Snowpack

**Danger patterns** 

(dp.7: snow-poor zones in snow-rich surrounding)

In its middle, the snowpack is faceted and weak, especially on shady slopes between approximately 2200 and 2600 m. Snow profiles and stability tests confirm this situation.

The somewhat older wind slabs are poorly bonded with the old snowpack especially on wind-protected shady slopes. They are mostly easy to recognise but prone to triggering. As a consequence of mild temperatures, solar radiation and the light to moderate wind, the snow drift accumulations stabilised during the last few days, in particular on sunny slopes.

# Tendency

As a consequence of the occasionally strong northerly wind, fresh snow drift accumulations will form on Saturday. In the regions exposed to the foehn wind there will be only a slight increase in the avalanche danger.

Updated 24 02 2022, 17:00



## **Danger Level 2 - Moderate**





**Tendency: Constant avalanche danger** on Saturday 26 02 2022

## Old wind slabs are to be evaluated with care and prudence.

The various wind slabs of the last few days are in some cases still prone to triggering. They can be released by a single winter sport participant especially on steep shady slopes above approximately 2400 m. Caution is to be exercised in places that are protected from the wind, as well as in gullies and bowls, and behind abrupt changes in the terrain. The wind slabs are mostly easy to recognise.

Avalanches can in isolated cases be released in the old snowpack also. Such avalanche prone locations are to be found in particular on steep shady slopes above approximately 2200 m and at transitions from a shallow to a deep snowpack. In the northwest and in the north these avalanche prone locations are more prevalent. Avalanches can reach medium size.

### Snowpack

**Danger patterns** 

dp.6: cold, loose snow and wind

dp.7: snow-poor zones in snow-rich surrounding

The somewhat older wind slabs are poorly bonded with the old snowpack especially on wind-protected shady slopes. They are in some cases prone to triggering. As a consequence of mild temperatures, solar radiation and the light to moderate wind, the snow drift accumulations stabilised during the last few days, in particular on sunny slopes. Here the snowpack is better bonded.

The old snowpack will be prone to triggering in some places, especially on shady slopes between approximately 2200 and 2600 m.


# Tendency

As a consequence of the occasionally strong northerly wind, fresh snow drift accumulations will form on Saturday. In the regions exposed to the foehn wind there will be only a slight increase in the avalanche danger.



## **Danger Level 2 - Moderate**





**Tendency: Increasing avalanche danger** on Saturday 26 02 2022



## Old wind slabs are to be evaluated with care and prudence.

The various wind slabs of the last few days are in some cases still prone to triggering. They can be released by a single winter sport participant especially on steep shady slopes above approximately 2400 m. Caution is to be exercised in places that are protected from the wind, as well as in gullies and bowls, and behind abrupt changes in the terrain. The wind slabs are mostly easy to recognise.

Avalanches can in isolated cases be released in the old snowpack also. Such avalanche prone locations are to be found in particular on steep shady slopes above approximately 2200 m and at transitions from a shallow to a deep snowpack. Avalanches can reach medium size.

### Snowpack

**Danger patterns** 

(dp.6: cold, loose snow and wind )

(dp.7: snow-poor zones in snow-rich surrounding)

The somewhat older wind slabs are poorly bonded with the old snowpack especially on wind-protected shady slopes. They are in some cases prone to triggering. As a consequence of mild temperatures, solar radiation and the light to moderate wind, the snow drift accumulations stabilised during the last few days, in particular on sunny slopes. Here the snowpack is better bonded.

The old snowpack will be prone to triggering in some places, especially on shady slopes between approximately 2200 and 2600 m.

# Tendency

As a consequence of the occasionally strong northerly wind, fresh snow drift accumulations will form on Saturday. In the regions exposed to the foehn wind there will be only a slight increase in the avalanche danger.

Updated 24 02 2022, 17:00



## **Danger Level 2 - Moderate**





Tendency: Constant avalanche danger on Saturday 26 02 2022

### Weak layers in the old snowpack necessitate caution.

Avalanches can in some places be released in the weakly bonded old snow by large loads, in particular on steep west, north and east facing slopes between approximately 2200 and 2600 m. Caution is to be exercised at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example. Avalanches can in some cases reach dangerously large size.

In addition the somewhat older wind slabs are capable of being triggered in some cases still. Adjacent to ridgelines and in gullies and bowls the avalanche prone locations are more prevalent.

#### Snowpack

**Danger patterns** 

(dp.7: snow-poor zones in snow-rich surrounding)

Some snow will fall in some regions.

In its middle, the snowpack is faceted and weak, especially on shady slopes between approximately 2200 and 2600 m. Snow profiles and stability tests confirm this situation.

The somewhat older wind slabs are poorly bonded with the old snowpack especially on wind-protected shady slopes. They are mostly easy to recognise but prone to triggering. As a consequence of mild temperatures, solar radiation and the light to moderate wind, the snow drift accumulations stabilised during the last few days, in particular on sunny slopes.

Page 5

# Tendency

Hardly any increase in avalanche danger as a consequence of the new snow.