



## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Monday 11 04 2022

### Fresh wind slabs are to be evaluated with care and prudence.

The fresh wind slabs are in some cases prone to triggering. They are to be evaluated with care and prudence in particular on steep shady slopes above approximately 2200 m. The avalanche prone locations are to be found especially adjacent to ridgelines and in gullies and bowls. The prevalence of avalanche prone locations and likelihood of triggering will increase with altitude. Avalanches can reach medium size.

On extremely steep slopes small to medium-sized loose snow avalanches are possible as a consequence of solar radiation.

This applies in particular in the regions exposed to heavier precipitation.

### Snowpack

#### Danger patterns

dp.6: cold, loose snow and wind

Over a wide area 5 to 15 cm of snow, and even more in some localities, has fallen since Saturday. The strong wind has transported the new snow and, in some cases, old snow as well. The wind slabs are lying on soft layers in particular on steep shady slopes at high altitudes and in high Alpine regions. On Sunday further wind slabs will form in particular at elevated altitudes. The old snowpack will be generally stable.

Low and intermediate altitudes:


As a consequence of low temperatures the snowpack consolidated.

### Tendency

The weather conditions will foster a rapid stabilisation of the snow drift accumulations.

As a consequence of warming and solar radiation, the natural activity of small and medium loose snow avalanches will increase.

## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Monday 11 04 2022

### Fresh wind slabs are to be evaluated with care and prudence.

The wind slabs of the last few days are in some cases still prone to triggering. They are to be evaluated with care and prudence in particular on steep shady slopes above approximately 2400 m. The avalanche prone locations are to be found especially adjacent to ridgelines and in gullies and bowls. At elevated altitudes the avalanche prone locations are more prevalent.

On extremely steep slopes small to medium-sized loose snow avalanches are possible as a consequence of solar radiation.

### Snowpack

#### Danger patterns

dp.6: cold, loose snow and wind

In some regions 5 to 15 cm of snow, and even more in some localities, has fallen since Saturday. The strong wind has transported the new snow and, in some cases, old snow as well. The wind slabs are lying on soft layers in particular on steep shady slopes above approximately 2400 m. On Sunday further wind slabs will form in particular at elevated altitudes. They are mostly rather small.

As a consequence of falling temperatures the snowpack consolidated on Saturday.

### Tendency

The weather conditions will foster a stabilisation of the snow drift accumulations. As a consequence of warming and solar radiation, the activity of wet avalanches will increase.

## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Monday 11 04 2022

The avalanche conditions are generally favourable. Fresh wind slabs at high altitude.

As a consequence of new snow and a storm force wind, rather small wind slabs formed. On Sunday further wind slabs will form especially in the vicinity of peaks. The fresh wind slabs can be released by a single winter sport participant in isolated cases in particular on steep shady slopes above approximately 2200 m. The avalanche prone locations are to be found especially adjacent to ridgelines and in gullies and bowls. The wind slabs are to be avoided in particular in very steep terrain. On extremely steep slopes small loose snow avalanches are possible as a consequence of solar radiation.

### Snowpack

#### Danger patterns

dp.6: cold, loose snow and wind

Some snow will fall until midday. The wind will be moderate to strong in the vicinity of peaks. Fresh wind slabs are lying on soft layers in particular on steep shady slopes above approximately 2200 m.

Low and intermediate altitudes: As a consequence of falling temperatures the snowpack consolidated.

### Tendency

As a consequence of warming during the day and solar radiation individual moist and wet avalanches are possible in the afternoon.