
Monday 11.04.2022


Updated 10 04 2022, 17:00



AM




PM







Danger Level 2 - Moderate



Wind slabs at high altitudes and in high Alpine regions. Wet avalanches as the day progresses.

The fresh wind slabs of the weekend are in some cases still prone to triggering. They are to be evaluated with care and prudence in particular on steep shady slopes above approximately 2600 m. The avalanche prone locations are to be found adjacent to ridgelines and in gullies and bowls. The number and size of avalanche prone locations will increase with altitude. The wind slabs are to be avoided in particular in very steep terrain.

From midday as a consequence of warming during the day and solar radiation there will be a gradual increase in the danger of wet avalanches. On extremely steep slopes natural loose snow slides are to be expected, especially in case of releases originating from sunny starting zones.

Snowpack

 Danger patterns
 dp.10: springtime scenario
 dp.6: cold, loose snow and wind

Over a wide area 10 to 20 cm of snow, and even more in some localities, has fallen since Friday above approximately 2000 m. The sometimes storm force wind has transported the new snow and, in some cases, old snow as well. The fresh wind slabs have settled a little. They are in some cases still prone to triggering at elevated altitudes.

On Monday it will be very mild. Sunshine and high temperatures will give rise as the day progresses to gradual softening of the snowpack.

Tendency

The conditions are spring-like. The weather will be very mild. Increase in danger of wet avalanches as a



Avalanche.report

Monday 11.04.2022

Updated 10 04 2022, 17:00



consequence of warming during the day and solar radiation.





Danger Level 2 - Moderate





Tendency: Constant avalanche danger on Tuesday 12 04 2022





Tendency: Constant avalanche danger on Tuesday 12 04 2022

Wet avalanches as the day progresses.

The early morning will see quite favourable conditions. The mostly small wind slabs of the weekend are now only very rarely prone to triggering. Individual avalanche prone locations are to be found on very steep shady slopes at elevated altitudes. The wind slabs are clearly recognisable.

As a consequence of warming during the day and solar radiation there will be a gradual increase in the danger of wet avalanches. On extremely steep slopes moist loose snow slides are to be expected. Mostly avalanches are only small.

Snowpack

Danger patterns

dp.10: springtime scenario


On Monday it will be very mild. Sunshine and high temperatures will give rise as the day progresses to gradual softening of the snowpack. The rather small wind slabs of the weekend have bonded quite well with the old snowpack.

Tendency

The conditions are spring-like. Increase in danger of wet avalanches as a consequence of warming during the day and solar radiation.



Danger Level 2 - Moderate



The early morning will see favourable conditions generally, but the danger of wet avalanches will increase later.

The early morning will see quite favourable conditions mostly. The clearly visible wind slabs of the weekend are in individual cases still prone to triggering in particular on steep shady slopes above approximately 2600 m. Mostly avalanches are only small. Wind slabs are to be bypassed especially in terrain where there is a danger of falling.

During the day: From midday as a consequence of warming during the day and solar radiation there will be an increase in the danger of wet avalanches. On extremely steep sunny slopes natural loose snow slides are possible.

Snowpack

Danger patterns dp.10: springtime scenario dp.6: cold, loose snow and wind

The wind slabs have bonded quite well with the old snowpack. They are in individual cases still prone to triggering at elevated altitudes.

On Monday it will be very mild. Sunshine and high temperatures will give rise as the day progresses to gradual softening of the snowpack. The new snow of the weekend can be released naturally in particular on extreme sunny slopes.

Tendency

The conditions are spring-like. Increase in danger of wet avalanches as a consequence of warming during the day and solar radiation.