





AM



PM




Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger
on Monday 18 04 2022 →

PM:



Tendency: Constant avalanche danger
on Monday 18 04 2022 →

The backcountry touring conditions are spring-like.

The early morning will see quite favourable conditions mostly. As a consequence of warming during the day and solar radiation there will be only a slight increase in the danger of wet avalanches. This applies in particular on west, south and east facing slopes at high altitude, as well as on shady slopes below approximately 2200 m.

Backcountry tours should be concluded timely.

Snowpack

Danger patterns

dp.10: springtime scenario

During the night the weather will be clear over a wide area. The surface of the snowpack will freeze to form a strong crust and will soften during the day. The spring-like weather conditions as the day progresses will give rise to a loss of strength within the snowpack. This applies on steep sunny slopes, as well as on shady slopes below approximately 2200 m.


Individual weak layers exist in the top section of the snowpack on steep northwest, north and northeast facing slopes. This applies in particular above approximately 2600 m. Towards its base, the snowpack is well consolidated. Only a little snow is now lying.

Tendency

The backcountry touring conditions are favourable.


Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger
on Monday 18 04 2022 →

PM:



Tendency: Constant avalanche danger
on Monday 18 04 2022 →

As a consequence of warming and solar radiation a moderate danger of wet avalanches will prevail.

As a consequence of warming during the day and solar radiation more small and medium-sized wet snow slides and avalanches are possible below approximately 2400 m. Restraint should be exercised because avalanches can sweep people along and give rise to falls. In addition a certain danger of gliding avalanches exists, especially on steep grassy slopes in the regions with a lot of snow.

Dry avalanches can in very isolated cases be released by a single winter sport participant. The avalanche prone locations are to be found in particular on very steep northwest, north and northeast facing slopes above approximately 2600 m. Bases of rock walls are especially unfavourable.

Snowpack

Danger patterns

dp.10: springtime scenario

Over a wide area a partly clear night. The solar radiation will give rise as the day progresses to softening of the snowpack below approximately 2400 m.

Avalanche prone weak layers exist in the top section of the snowpack at high altitudes and in high Alpine regions. This applies in particular on steep northwest, north and northeast facing slopes above approximately 2600 m. Towards its base, the snowpack is well consolidated.

At low and intermediate altitudes only a little snow is now lying.

Tendency

The conditions in the morning are mostly favourable. Slight increase in avalanche danger as a consequence



of warming during the day and solar radiation.


Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
on Monday 18 04 2022

PM:



Tendency: Constant avalanche danger →
on Monday 18 04 2022

As a consequence of warming and solar radiation a moderate danger of wet avalanches will prevail.

As the penetration by moisture increases more small and medium-sized wet snow slides and avalanches are possible below approximately 2400 m. Restraint should be exercised because avalanches can sweep people along and give rise to falls. In addition a certain danger of gliding avalanches exists. This applies in particular on steep grassy slopes in the regions with a lot of snow.

As a consequence of solar radiation more frequent small loose snow avalanches are to be expected.

Snowpack

Danger patterns

dp.10: springtime scenario

Over a wide area a partly clear night. Sunshine and high temperatures will give rise as the day progresses to softening of the snowpack below approximately 2400 m.

In very isolated cases weak layers exist in the top section of the snowpack at high altitudes and in high Alpine regions. This applies in particular on very steep northwest, north and northeast facing slopes above approximately 2600 m. Towards its base, the snowpack is well consolidated.

At low and intermediate altitudes only a little snow is now lying.

Tendency

The conditions in the morning are mostly favourable. Slight increase in avalanche danger as a consequence of warming during the day and solar radiation.




Danger Level 1 - Low

AM:



Tendency: Constant avalanche danger →
on Monday 18 04 2022

PM:



Tendency: Constant avalanche danger →
on Monday 18 04 2022

Wet and gliding avalanches require caution.

More mostly small gliding avalanches and moist snow slides are possible. As a consequence of warming during the day and solar radiation the avalanche prone locations will become more prevalent as the day progresses.

Snowpack

Danger patterns

dp.10: springtime scenario

Over a wide area a partly clear night. The solar radiation will give rise as the day progresses to softening of the snowpack.


Below the tree line only a little snow is now lying.

Tendency

Low avalanche danger will be encountered over a wide area.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Monday 18 04 2022

The conditions are spring-like.

The early morning will see favourable conditions generally. As a consequence of warming during the day and solar radiation moist snow slides are possible.

Snowpack

Danger patterns dp.10: springtime scenario

In all aspects as well as in all altitude zones only a little snow is now lying.

The surface of the snowpack will freeze to form a strong crust only at high altitudes and will soften during the day.