





Danger Level 2 - Moderate



Treeline

Tendency: Constant avalanche danger →

on Thursday 02 02 2023



Wind slab



Treeline

Snowpack stability: **poor**Frequency: **some**Avalanche size: **medium**

Persistent weak layer



2200m

Snowpack stability: **poor**Frequency: **some**Avalanche size: **medium**

Wind slabs and weakly bonded old snow represent the main danger.

As a consequence of the strong northerly wind, snow drift accumulations will form. The fresh and somewhat older wind slabs must be evaluated with care and prudence. They can be released even by a single winter sport participant above the tree line. Slopes adjacent to ridgelines are especially unfavourable.

Additionally avalanches can also be released in deep layers. Such avalanche prone locations are to be found on steep, little used shady slopes above approximately 2200 m and on steep sunny slopes above approximately 2500 m.

Mostly avalanches are medium-sized.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

dp.1: deep persistent weak layer

The wind will transport the loosely bonded old snow. Faceted weak layers exist in the old snowpack, especially on shady slopes above approximately 2200 m, as well as on sunny slopes above approximately 2500 m.

Tendency

Fresh wind slabs require caution.



Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Thursday 02 02 2023



Wind slab



Treeline

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **small**

Fresh wind slabs require caution.

The wind will be strong at times. Adjacent to ridgelines as well as at elevated altitudes mostly small wind slabs will form. These can be released by a single winter sport participant in isolated cases. They are to be avoided in very steep terrain. Mostly avalanches are small.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

As a consequence of a gathering strong northerly wind, mostly small wind slabs will form since Monday. The strong wind will transport the loosely bonded old snow. The fresh wind slabs are bonding only slowly with the old snowpack in particular on very steep shady slopes. Hardly any weak layers exist in the old snowpack.

Tendency

As a consequence of the strong northwesterly wind, fresh snow drift accumulations will form on Wednesday.