Thursday 16.02.2023

Published 15 02 2023, 17:00



AM




PM



1 2 3 4 5 low moderate considerable high very high







Weakly bonded old snow above approximately 2200 m. Slight increase in danger of wet avalanches in the course of the day.

The backcountry touring conditions are mostly favourable.

Weak layers in the old snowpack can still be released in some places by individual winter sport participants, especially at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example, as well as in little used backcountry terrain. The avalanche prone locations are rare but are difficult to recognise. Mostly avalanches are medium-sized.

As a consequence of the solar radiation, the likelihood of wet avalanches being released will increase a little on very steep sunny slopes below approximately 2400 m.

Snowpack

Danger patterns

dp.1: deep persistent weak layer

dp.7: snow-poor zones in snow-rich surrounding

The weather conditions brought about a slow strengthening of the old snowpack.

Faceted weak layers exist in the snowpack, especially on shady slopes above approximately 2200 m, and on sunny slopes at elevated altitudes. The snowpack will be subject to considerable local variations above the tree line.

Outgoing longwave radiation during the night will be good over a wide area. Sunshine and high temperatures will give rise as the day progresses to gradual softening of the snowpack, especially on very steep sunny slopes.

Avalanche.report **Thursday 16.02.2023**

Published 15 02 2023, 17:00



In particular at low and intermediate altitudes only a small amount of snow is lying for the time of year.

Tendency

The danger of dry avalanches will decrease gradually.

Slight increase in danger of wet avalanches in the course of the day.