






Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Wednesday 06 12 2023



Wind slab



Treeline

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

Fresh wind slabs require caution. At elevated altitudes a sometimes precarious avalanche situation will be encountered in some regions.

In the last few days wind slabs formed in all aspects. These must be evaluated with care and prudence in all aspects above approximately 2000 m. Caution is to be exercised in particular adjacent to ridgelines and in gullies and bowls. Even single backcountry tourers can release avalanches in some places, including medium-sized ones.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

Snow depths vary greatly above the tree line, depending on the influence of the wind. The weather conditions fostered a weakening of the snowpack in particular on very steep slopes. The fresh and older wind slabs are lying on the unfavourable surface of an old snowpack in all aspects at high altitude. Whumpfung sounds and the formation of shooting cracks when stepping on the snowpack confirm the unfavourable bonding of the snowpack.

Tendency

New snow and wind slabs require caution.



Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Wednesday 06 12 2023



Wind slab



Treeline

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

Wind slabs require caution. At elevated altitudes a precarious avalanche situation will be encountered in some regions.

In the last few days wind slabs formed in all aspects. These must be evaluated with care and prudence in all aspects above approximately 2000 m. Caution is to be exercised in particular adjacent to ridgelines and in gullies and bowls. Even single backcountry tourers can release avalanches in some places, including medium-sized ones.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

Snow depths vary greatly above the tree line, depending on the influence of the wind. The weather conditions fostered a weakening of the snowpack in particular on very steep slopes. The fresh and older wind slabs are lying on the unfavourable surface of an old snowpack in all aspects at high altitude. Whumpfung sounds and the formation of shooting cracks when stepping on the snowpack confirm the unfavourable bonding of the snowpack.

Tendency

Fresh wind slabs represent the main danger.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Wednesday 06 12 2023



Wind slab



Snowpack stability: **fair**

Frequency: **few**

Avalanche size: **small**

In all aspects in all altitude zones from a snow sport perspective, in most cases insufficient snow is lying.

Individual avalanche prone locations are to be found in steep terrain in high Alpine regions and in gullies and bowls, and behind abrupt changes in the terrain above approximately 2000 m. Avalanches can in some places be released by small loads, but they will be small in most cases.

Snowpack

In all regions in all altitude zones a little snow is lying. In some places there are 5 to 10 cm of snow.

Tendency

Low avalanche danger will prevail.