








# **Danger Level 2 - Moderate**



### Wind slabs require caution.

In the last few days wind slabs formed in all aspects. They represent the main danger. Caution is to be exercised in particular adjacent to ridgelines and in gullies and bowls above approximately 2200 m. Even single backcountry tourers can release avalanches in some places, including medium-sized ones.

#### Snowpack


Snow depths vary greatly at high altitudes and in high Alpine regions, depending on the infuence of the wind. The weather conditions fostered a weakening of the snowpack in particular on very steep slopes. The fresh and older wind slabs are lying on the unfavourable surface of an old snowpack in all aspects at high altitude. Whumpfing sounds and the formation of shooting cracks when stepping on the snowpack confirm the unfavourable bonding of the snowpack.

## Tendency

Wind slabs require caution.



# **Danger Level 2 - Moderate**



### Wind slabs require caution.

In the last few days wind slabs formed in all aspects. They represent the main danger. Caution is to be exercised in particular adjacent to ridgelines and in gullies and bowls above approximately 2200 m. Even single backcountry tourers can release avalanches in some places, including medium-sized ones.

#### Snowpack

Snow depths vary greatly at high altitudes and in high Alpine regions, depending on the infuence of the wind. The weather conditions fostered a weakening of the snowpack in particular on very steep slopes. The fresh and older wind slabs are lying on the unfavourable surface of an old snowpack in all aspects at high altitude. Whumpfing sounds and the formation of shooting cracks when stepping on the snowpack confirm the unfavourable bonding of the snowpack.

## Tendency

Wind slabs require caution.



## **Danger Level 1 - Low**





**Tendency: Constant avalanche danger** on Saturday 09 12 2023









Snowpack stability: fair Frequency: few Avalanche size: small

In all aspects in all altitude zones from a snow sport perspective, in most cases insufficient snow is lying.

Individual avalanche prone locations are to be found in steep terrain in high Alpine regions and in gullies and bowls, and behind abrupt changes in the terrain above approximately 2000 m. Avalanches can in some places be released, in particular by large loads, but they will be small in most cases.

#### Snowpack

In some places there are 10 to 20 cm of snow, and even more in some localities. In all regions in all altitude zones from a snow sport perspective, in most cases insufficient snow is lying.

## Tendency

Low avalanche danger will prevail.