Monday 18.12.2023


Published 17 12 2023, 17:00











Fresh wind slabs represent the main danger. Gliding snow requires caution.

The no longer entirely fresh wind slabs remain in some cases prone to triggering. This applies in particular on shady slopes, also on sunny slopes at elevated altitudes. Caution is to be exercised in particular above approximately 2200 m, as well as in gullies and bowls, and behind abrupt changes in the terrain. Avalanches can be released by a single winter sport participant and reach medium size. The prevalence of avalanche prone locations and likelihood of triggering will increase with altitude.

As a consequence of warming more loose snow avalanches are possible, even medium-sized ones. This applies in particular on very steep sunny slopes. In addition a substantial danger of gliding avalanches exists. This applies on steep slopes below approximately 2400 m.

Weak layers in the old snowpack can be released especially by large additional loads in particular at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example. This applies in particular on very steep shady slopes above approximately 2200 m. These avalanche prone locations are very rare. Avalanches can reach large size in isolated cases.

Snowpack


 Danger patterns
 dp.6: cold, loose snow and wind
 dp.2: gliding snow

The wind was strong in some cases. As a consequence of new snow and wind from northerly directions, sometimes large wind slabs formed. More recent wind slabs are lying on soft layers in all aspects at high altitudes and in high Alpine regions. Faceted weak layers exist in the centre of the snowpack in particular above approximately 2200 m. The high temperatures as the day progresses will give rise to gradual moistening of the snowpack in particular on very steep sunny slopes.

Tendency

As a consequence of rising temperatures the snowpack will settle during the next few days.





Wind slabs represent the main danger. Gliding snow requires caution.

The no longer entirely fresh wind slabs are in some cases still prone to triggering especially on very steep shady slopes above approximately 2200 m. These can especially at their margins be released by a single winter sport participant and reach medium size. The avalanche prone locations are easy to recognise. Caution is to be exercised in particular in gullies and bowls, and behind abrupt changes in the terrain. The prevalence of avalanche prone locations and likelihood of triggering will increase with altitude.

As a consequence of warming more loose snow avalanches are to be expected, but they will be mostly small. In addition an appreciable danger of gliding avalanches exists. This applies on steep slopes below approximately 2400 m. Areas with glide cracks are to be avoided as far as possible.

Weak layers in the old snowpack can be released especially by large additional loads in particular at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example. Individual avalanche prone locations are to be found on very steep shady slopes above approximately 2200 m. Avalanches can reach large size in isolated cases.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

dp.2: gliding snow

As a consequence of new snow and wind from northerly directions, clearly visible wind slabs formed. These are lying on soft layers in particular on near-ridge shady slopes at high altitudes and in high Alpine regions. Sunshine and high temperatures will give rise as the day progresses to gradual moistening of the snowpack, in particular on steep sunny slopes. Faceted weak layers exist in the centre of the snowpack in particular above approximately 2200 m. This applies in particular on shady slopes.

Avalanche.report Monday 18.12.2023

Published 17 12 2023, 17:00



Tendency

The weather conditions will foster a gradual settling of the snow drift accumulations. A latent danger of gliding avalanches exists.





Tendency: Constant avalanche danger on Tuesday 19 12 2023









Snowpack stability: very poor

Frequency: some

Avalanche size: medium







Snowpack stability: poor Frequency: some

Avalanche size: medium

Gliding snow represents the main danger. Wind slabs require caution.

As a consequence of warming more medium-sized gliding avalanches are possible. This applies on steep grassy slopes.

The no longer entirely fresh wind slabs are in some cases prone to triggering on steep shady slopes. Caution is to be exercised in particular above approximately 2200 m, as well as in gullies and bowls, and behind abrupt changes in the terrain.

Snowpack

Danger patterns

dp.2: gliding snow


dp.6: cold, loose snow and wind

The fresh and somewhat older wind slabs are lying on soft layers in particular on near-ridge shady slopes at elevated altitudes. As a consequence of rising temperatures the snow drift accumulations will stabilise. The old snowpack is wet, in particular at low and intermediate altitudes.

Tendency

Gradual increase in danger of gliding avalanches as a consequence of warming.





Wind slabs require caution.

The no longer entirely fresh wind slabs are in some cases still prone to triggering above approximately 2400 m. Wind slabs can in some places be released by a single winter sport participant and reach medium size. The avalanche prone locations are to be found in particular on very steep shady slopes. Caution is to be exercised in particular adjacent to ridgelines and in gullies and bowls.

Weak layers in the old snowpack can be released in very isolated cases in particular at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example. This applies on very steep shady slopes above approximately 2400 m. The avalanche prone locations are rare but are barely recognisable.

In addition as the day progresses on south facing slopes, further mostly small loose snow avalanches are possible. In the regions with a lot of snow individual gliding avalanches are possible.

Snowpack

Danger patterns dp.6: cold, loose snow and wind dp.7: snow-poor zones in snow-rich surrounding

As a consequence of a strong to storm force northwesterly wind, wind slabs formed in the last few days in gullies and bowls and behind abrupt changes in the terrain. These are lying on soft layers in particular on shady slopes at elevated altitudes.

Faceted weak layers exist in the centre of the snowpack in particular above approximately 2400 m. Sunshine and high temperatures will give rise as the day progresses to slight moistening of the snowpack in particular on sunny slopes.

Tendency

The weather conditions will foster a gradual settling of the snow drift accumulations.



Danger Level 1 - Low



Snowpack stability: poor Frequency: few Avalanche size: small

Wind slabs require caution.

The no longer entirely fresh wind slabs of the last few days are in individual cases still prone to triggering in particular on very steep shady slopes above approximately 2400 m. The mostly small wind slabs are clearly recognisable to the trained eye. Caution is to be exercised in particular adjacent to ridgelines and in gullies and bowls.

In addition as the day progresses on south facing slopes, further mostly small loose snow avalanches are possible.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

As a consequence of a strong to storm force northwesterly wind, mostly small wind slabs formed in the last few days in gullies and bowls and behind abrupt changes in the terrain. These are lying on soft layers in particular on shady slopes at elevated altitudes. Sunshine and high temperatures will give rise as the day progresses to slight moistening of the snowpack in particular on sunny slopes.

Tendency

The avalanche conditions remain generally favourable.