






## Danger Level 2 - Moderate



**Tendency: Constant avalanche danger** →  
on Sunday 31 12 2023



Wind slab



Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **medium**

### Old wind slabs are to be evaluated with care and prudence.

The wind slabs can be released in all aspects above approximately 2400 m. Individual avalanche prone locations for dry avalanches are to be found adjacent to ridgelines and in gullies and bowls. This applies in particular on steep shady slopes. Avalanches can reach medium size in isolated cases.

### Snowpack

The wind slabs are clearly recognisable. Snow depths vary greatly above approximately 2400 m, depending on the influence of the wind. Towards its base, the snowpack is faceted. Hardly any snow is lying below approximately 2400 m.

### Tendency

The meteorological conditions will facilitate a gradual change towards better conditions.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Sunday 31 12 2023

The backcountry touring conditions are generally favourable. Old wind slabs are to be evaluated with care and prudence.

In all regions only a little snow is lying.

### Snowpack

The snowpack will be quite stable. Snow depths vary greatly above the tree line, depending on the influence of the wind.

### Tendency

The avalanche danger will persist.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Sunday 31 12 2023



Wind slab



Snowpack stability: **fair**

Frequency: **few**

Avalanche size: **medium**

### Old wind slabs are to be evaluated with care and prudence.

The wind slabs can be released in all aspects above approximately 2400 m. Individual avalanche prone locations for dry avalanches are to be found adjacent to ridgelines and in gullies and bowls. This applies in particular on steep shady slopes. Avalanches can reach medium size in isolated cases.

### Snowpack

The wind slabs are clearly recognisable. Snow depths vary greatly above approximately 2400 m, depending on the influence of the wind. Towards its base, the snowpack is faceted. Hardly any snow is lying below approximately 2400 m.

### Tendency

The meteorological conditions will facilitate a gradual change towards better conditions.