





AM



PM




Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
 on Friday 16 02 2024



Wind slab




Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**



Wet snow



Snowpack stability: **poor**


Frequency: **few**

Avalanche size: **small**

PM:



Tendency: Constant avalanche danger →
 on Friday 16 02 2024



Wet snow



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**



Wind slab



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

As a consequence of warming and solar radiation, the activity of moist avalanches will appreciably increase. Old wind slabs are to be evaluated with care and prudence.

As a consequence of warming during the day and solar radiation moist snow slides and avalanches are possible as the day progresses. Avalanche prone locations for moist avalanches are to be found on steep southeast, south and west facing slopes. This applies in particular on steep slopes below approximately 2600 m, as well as on rocky sunny slopes at elevated altitudes. Mostly avalanches are only small but in many cases easily released.

The old wind slabs can be released even by a single winter sport participant. In isolated cases the avalanches are medium-sized. The avalanche prone locations are to be found in particular on steep slopes above approximately 2200 m, and in gullies and bowls.

Snowpack

Danger patterns

dp.10: springtime scenario

Sunshine and high temperatures will give rise as the day progresses to softening of the snowpack over a wide area in particular on sunny slopes below approximately 2800 m.

The old wind slabs are poorly bonded with the old snowpack in particular on steep shady slopes and at



elevated altitudes.

Tendency

Sunshine and high temperatures will give rise as the day progresses to moistening of the snowpack over a wide area. As a consequence of warming numerous moist and wet avalanches are to be expected, even medium-sized ones.




Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Friday 16 02 2024



Wet snow



Snowpack stability: **very poor**

Frequency: **few**

Avalanche size: **small**



Wind slab



Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **small**

As the day progresses wet snow slides and avalanches are to be expected. Wind slabs require caution.

As a consequence of warming during the day and solar radiation small moist snow slides and avalanches are to be expected. This applies in particular on steep sunny slopes. The avalanche danger will increase a little during the day.

Wind slabs can be released in isolated cases, but mostly only by large additional loads, on very steep shady slopes above approximately 2400 m, especially adjacent to ridgelines and in pass areas. Mostly avalanches are only small.

Snowpack

Danger patterns

dp.10: springtime scenario

dp.6: cold, loose snow and wind

Sunshine and high temperatures will give rise as the day progresses to increasing softening of the snowpack over a wide area.

Wind slabs are in individual cases still prone to triggering in particular on steep shady slopes, especially adjacent to ridgelines and in gullies and bowls.

At low and intermediate altitudes only a little snow is now lying.

Tendency

As the day progresses wet snow slides and avalanches are to be expected.