






AM



PM




Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
 on Monday 04 03 2024



Gliding snow



2600m

Snowpack stability: **very poor**

Frequency: **some**

Avalanche size: **medium**



Wind slab



2600m

Snowpack stability: **poor**


Frequency: **some**

Avalanche size: **medium**

PM:



Tendency: Constant avalanche danger →
 on Monday 04 03 2024



Gliding snow



2600m

Snowpack stability: **very poor**

Frequency: **some**

Avalanche size: **medium**



Wind slab



2600m

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**



Wet snow



2200m

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

Gliding avalanches are the main danger. Fresh wind slabs at high altitude. Wet loose snow avalanches are possible in the afternoon.

An appreciable danger of gliding avalanches exists, in particular on steep sunny slopes below approximately 2600 m, as well as on steep shady slopes below approximately 2400 m. These can reach dangerously large size.

As a consequence of the moist air wet loose snow avalanches are possible in the afternoon, even medium-sized ones. This applies in case of a single winter sport participant, especially on extremely steep slopes below approximately 2200 m.

The fresh wind slabs can be released by a single winter sport participant in isolated cases in particular on very steep shady slopes above approximately 2600 m. This applies especially adjacent to ridgelines. In some cases avalanches are medium-sized. The number and size of avalanche prone locations will increase with altitude.



Avalanches can in very isolated cases be triggered in the old snowpack. Avalanche prone locations are to be found in particular on very steep east and west facing slopes above approximately 2600 m. Avalanche prone locations are to be found also on very steep north facing slopes between approximately 2100 and 2300 m.

Snowpack

Danger patterns

dp.2: gliding snow

dp.10: springtime scenario

Some snow will fall until Monday in particular in the south.

Outgoing longwave radiation during the night was reduced. The surface of the snowpack will soften during the day. The snowpack will be wet all the way through below approximately 2200 m. The snowpack will be moist below approximately 2400 m.


Fresh and somewhat older wind slabs are lying on soft layers in particular on shady slopes. This applies above approximately 2600 m. In very isolated cases new snow and wind slabs are lying on a weakly bonded old snowpack.

Tendency


Gliding avalanches are the main danger.

Danger Level 2 - Moderate


AM:



Tendency: Constant avalanche danger →
 on Monday 04 03 2024



Gliding snow




Snowpack stability: **very poor**


Frequency: **some**

Avalanche size: **medium**


PM:



Tendency: Constant avalanche danger →
 on Monday 04 03 2024



Gliding snow




Snowpack stability: **very poor**

Frequency: **some**

Avalanche size: **medium**



Wet snow



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

Gliding avalanches are the main danger. Wet loose snow avalanches are possible in the afternoon.

An appreciable danger of gliding avalanches exists, in particular on steep sunny slopes below approximately 2600 m, as well as on steep shady slopes below approximately 2400 m. These can reach dangerously large size.

As a consequence of warming during the day and solar radiation wet loose snow avalanches are possible in the afternoon, even medium-sized ones. This applies in case of a single winter sport participant, especially on extremely steep slopes below approximately 2200 m.

Snowpack

Danger patterns

dp.2: gliding snow

dp.10: springtime scenario

Outgoing longwave radiation during the night was quite good over a wide area. The surface of the snowpack will soften during the day. The snowpack will be wet all the way through below approximately 2200 m. The snowpack will be moist below approximately 2400 m.

The old snowpack will be stable over a wide area. This applies at high altitude.

Tendency

Gliding avalanches are the main danger.