

Avalanche.report **Sunday 14.04.2024** Published 13 04 2024, 17:00



earlier



later










Danger Level 3 - Considerable





The danger of wet avalanches will already increase in the late morning.

As a consequence of warming during the day and the solar radiation, the likelihood of wet avalanches being released will increase quickly. This applies on steep sunny slopes in all altitude zones, as well as on steep, rather lightly snow-covered shady slopes below approximately 2600 m.

On steep grassy slopes more medium-sized and, in isolated cases, large gliding avalanches are possible below approximately 2600 m. Areas with glide cracks are to be avoided.

In isolated cases wet avalanches can release the saturated snowpack and reach large size. In steep gullies avalanches can in isolated cases reach valley bottoms at relatively high altitudes. Backcountry tours and ascents to alpine cabins should be started and concluded very early.

Snowpack

Danger patterns

dp.10: springtime scenario

dp.2: gliding snow

The weather will be very warm. The surface of the snowpack will freeze to form a strong crust only at high altitudes and will already soften in the late morning. Sunshine and high temperatures will give rise from late morning to a loss of strength within the snowpack.

The snowpack will be wet all the way through below approximately 2400 m. Hardly any snow is lying at low and intermediate altitudes.





Tendency

Monday:

The weather will be warm. Up to 2500 m and above rain will fall in some regions. The high humditiy will give rise as the day progresses to increasing and thorough wetting of the snowpack. On very steep slopes natural wet avalanches are to be expected. This applies especially on rather lightly snow-covered shady slopes in particular below approximately 2800 m. In addition some medium-sized and, in isolated cases, large gliding avalanches are possible.





Danger Level 1 - Low



Tendency: Constant avalanche danger on Monday 15 04 2024

The weather will be very warm. The danger of wet avalanches will increase during the day.

As a consequence of warming and solar radiation, the activity of wet avalanches will gradually increase. On steep grassy slopes mostly small gliding avalanches are possible.

Snowpack

Danger patterns

ig(dp.10: springtime scenario $ig) \,\,ig($ dp.2: gliding snow ig)

The surface of the snowpack will freeze very little and will already be soft in the early morning.

Below approximately 1800 m from a snow sport perspective, in most cases insufficient snow is lying.

Tendency

Conditions are favorable concerning avalanche hazard.

