



Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Monday 16 03 2020



Wind-drifted
snow



Wet snow



Wind slabs are in some cases prone to triggering at high altitudes and in high Alpine regions.

As a consequence of fresh snow and a sometimes moderate southwesterly wind, mostly small wind slabs formed on Saturday. This applies in particular adjacent to ridgelines and in gullies and bowls. These avalanche prone locations are clearly recognisable to the trained eye. The fresh snow must be evaluated with care and prudence in particular on steep shady slopes above approximately 2200 m. Mostly the avalanches are rather small but in some cases easily released.

As a consequence of warming during the day and the solar radiation, the likelihood of moist and wet avalanches being released will increase gradually.

Snowpack

Especially in the Ortler Range, in the Sarntal Alps and in the Dolomites 10 to 20 cm of snow fell above approximately 1500 m. At low altitude hardly any snow is lying. At intermediate altitudes the snow is wet. In very isolated cases weak layers exist in the old snowpack in particular on west, north and northeast facing slopes. Outgoing longwave radiation during the night will be severely restricted over a wide area. The surface of the snowpack will freeze to form a strong crust only at high altitudes and will soften during the day.

Tendency

Gradual decrease in avalanche danger.



Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Monday 16 03 2020



Wind-drifted
snow



2200m

Wind slabs are in some cases prone to triggering at high altitudes and in high Alpine regions.

As a consequence of a sometimes moderate southwesterly wind, small wind slabs formed on Saturday. This applies in particular adjacent to ridgelines and in gullies and bowls. These avalanche prone locations are clearly recognisable to the trained eye. Mostly the avalanches are rather small but in some cases easily released.

As a consequence of warming during the day and the solar radiation, the likelihood of moist and wet avalanches being released will increase gradually.

Snowpack

2 to 5 cm of snow. fell above approximately 1500 m. At intermediate altitudes the snow is wet. In very isolated cases weak layers exist in the old snowpack in particular on west, north and northeast facing slopes. Outgoing longwave radiation during the night will be quite good over a wide area. The surface of the snowpack will soften during the day.

Tendency

Gradual decrease in avalanche danger.