




Danger Level 3 - Considerable



Tendency: Constant avalanche danger →

on Thursday 16 03 2023



Persistent weak layer



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**



Wind slab



Snowpack stability: **very poor**

Frequency: **some**

Avalanche size: **medium**

Wind slabs and weakly bonded old snow represent the main danger.

Weak layers in the old snowpack can be released even by individual winter sport participants. This applies in particular on very steep shady slopes above approximately 2000 m, as well as on very steep east and west facing slopes above approximately 2400 m. Caution is to be exercised at transitions from a shallow to a deep snowpack. As the day progresses the likelihood of avalanches being released will increase a little. Fresh wind slabs can be released by a single winter sport participant in some cases. Such avalanche prone locations are to be found in particular on steep northwest, north and east facing slopes above approximately 2400 m, especially adjacent to ridgelines.

As a consequence of warming during the day and solar radiation small to medium-sized loose snow avalanches are to be expected. On steep grassy slopes more frequent small gliding avalanches are to be expected.

Snowpack

Danger patterns

dp.1: deep persistent weak layer

dp.6: cold, loose snow and wind

Faceted weak layers exist in the old snowpack, especially on shady slopes above approximately 2000 m, as well as on west and east facing slopes above approximately 2400 m.

Over a wide area 25 to 40 cm of snow has fallen since Tuesday above approximately 1800 m. As a consequence of new snow and a sometimes strong wind, extensive wind slabs formed. These are lying on soft layers on steep shady slopes at high altitudes and in high Alpine regions.


The solar radiation will give rise to increasing moistening of the snowpack especially at low and intermediate altitudes. The meteorological conditions will bring about a slight weakening of the snowpack as the day progresses.

Tendency

Thursday: Gradual increase in avalanche danger as a consequence of warming.



Danger Level 3 - Considerable



Tendency: Constant avalanche danger →

on Thursday 16 03 2023



Wind slab



Snowpack stability: **very poor**

Frequency: **some**

Avalanche size: **medium**

Fresh and older wind slabs represent the main danger.

The new snow and wind slabs can be released easily, even by a single winter sport participant,. The avalanche prone locations are to be found in particular on northwest to north to east facing aspects above approximately 2200 m. Caution is to be exercised adjacent to ridgelines and in pass areas, as well as in gullies and bowls. The avalanche prone locations are sometimes covered with new snow and are difficult to recognise. At elevated altitudes the avalanche prone locations are more prevalent. Backcountry touring calls for experience in the assessment of avalanche danger.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind


Over a wide area 10 to 20 cm of snow, and even more in some localities, fell on Tuesday. As a consequence of new snow and a strong wind, sometimes avalanche prone wind slabs formed. In some cases the various wind slabs have bonded still only poorly with each other and the old snowpack. As a consequence of the strong wind the wind slabs will increase in size additionally on Wednesday.

Tendency

The weather conditions will prevent a rapid stabilisation of the snowpack.



Danger Level 3 - Considerable



Tendency: Constant avalanche danger →

on Thursday 16 03 2023



Wind slab



Snowpack stability: **poor**

Frequency: **many**

Avalanche size: **medium**



Persistent weak layer



Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **medium**

Wind slabs and weakly bonded old snow represent the main danger.

The new snow and wind slabs can be released easily, even by a single winter sport participant,. The avalanche prone locations are to be found in particular on northwest to north to east facing aspects above approximately 2200 m. Caution is to be exercised adjacent to ridgelines and in pass areas, as well as in gullies and bowls. The avalanche prone locations are sometimes covered with new snow and are difficult to recognise. At elevated altitudes the avalanche prone locations are more prevalent. Avalanches can reach medium size.

Avalanches can additionally in some places be released in the old snowpack by a single winter sport participant, especially on very steep shady slopes above approximately 2200 m, as well as on very steep east and west facing slopes above approximately 2400 m. Caution is to be exercised at transitions from a shallow to a deep snowpack.

Backcountry touring calls for careful route selection.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

dp.1: deep persistent weak layer

Over a wide area 20 to 30 cm of snow, and even more in some localities, has fallen since Tuesday, in particular in the eastern part of the main Alpine ridge and in the Ortler Range. As a consequence of new snow and a strong wind, sometimes avalanche prone wind slabs formed. The new snow and wind slabs are lying on the unfavourable surface of an old snowpack in particular on shady slopes at high altitudes and in high Alpine regions. In some cases the various wind slabs have bonded still only poorly with each other and the old snowpack. As a consequence of the strong wind the wind slabs will increase in size additionally on Wednesday.

Faceted weak layers exist in the old snowpack, especially on shady slopes above approximately 2200 m, as well as on east and west facing slopes above approximately 2400 m.

The solar radiation will give rise as the day progresses to slight moistening of the snowpack in particular on sunny slopes.




Tendency

The weather conditions facilitated a gradual stabilisation of the snow drift accumulations. As a consequence of warming during the day and solar radiation wet snow slides and avalanches are to be expected.



Danger Level 2 - Moderate



Tendency: Constant avalanche danger →

on Thursday 16 03 2023




Wind slab



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **small**



Persistent weak layer



Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **medium**

Wind slabs and weakly bonded old snow require caution.

Fresh wind slabs can be released even by a single winter sport participant. They are to be avoided in particular in steep terrain. The avalanche prone locations are to be found in particular on northwest to north to east facing aspects above approximately 2200 m and adjacent to ridgelines and in gullies and bowls. The avalanche prone locations are sometimes covered with new snow and are difficult to recognise. At elevated altitudes the avalanche prone locations are more prevalent. Avalanches can reach medium size.

Avalanches can additionally in isolated cases be released in the old snowpack by a single winter sport participant, especially on very steep shady slopes above approximately 2200 m, as well as on very steep east and west facing slopes above approximately 2400 m. Caution is to be exercised at transitions from a shallow to a deep snowpack.

Meticulous route selection is recommended.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

dp.1: deep persistent weak layer

Over a wide area 10 to 20 cm of snow, and even more in some localities, has fallen since Tuesday. As a consequence of new snow and a strong wind, sometimes avalanche prone wind slabs formed. These are lying on soft layers in particular on steep shady slopes at high altitudes and in high Alpine regions. In some cases the various wind slabs have bonded still only poorly with each other and the old snowpack. On Wednesday the wind slabs will increase in size additionally.

Faceted weak layers exist in the old snowpack, especially on shady slopes above approximately 2200 m, as well as on east and west facing slopes above approximately 2400 m.

The solar radiation will give rise as the day progresses to slight moistening of the snowpack in particular on sunny slopes.

Tendency



The weather conditions facilitated a gradual stabilisation of the snow drift accumulations. As a consequence of warming during the day and solar radiation moist snow slides and avalanches are possible.



Danger Level 2 - Moderate



Tendency: Constant avalanche danger →

on Thursday 16 03 2023



Wind slab



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **small**

Fresh wind slabs require caution.

As a consequence of new snow and a sometimes strong wind, wind slabs formed over a wide area. These can in some places be released by a single winter sport participant. Mostly the avalanches are small.

As a consequence of warming during the day and solar radiation small to medium-sized loose snow avalanches are to be expected. On steep grassy slopes more frequent small gliding avalanches are to be expected.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

Over a wide area 20 to 30 cm of snow, and even more in some localities, has fallen since Tuesday above approximately 1800 m. The fresh wind slabs are lying on soft layers at high altitude.


The solar radiation will give rise to increasing moistening of the snowpack especially at low and intermediate altitudes. The meteorological conditions will bring about a slight weakening of the snowpack as the day progresses.

Tendency

Thursday: Gradual increase in avalanche danger as a consequence of warming.



Danger Level 2 - Moderate




Tendency: Constant avalanche danger →

on Thursday 16 03 2023



Wind slab



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **small**

Fresh and older wind slabs require caution.

Fresh wind slabs can be released even by a single winter sport participant. They are to be avoided in particular in steep terrain. The avalanche prone locations are to be found in particular on northwest to north to east facing aspects above approximately 2200 m and adjacent to ridgelines and in gullies and bowls. At elevated altitudes the avalanche prone locations are more prevalent. Experience in the assessment of avalanche danger is advisable.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

Over a wide area 5 to 15 cm of snow fell yesterday. As a consequence of new snow and a strong wind, sometimes avalanche prone wind slabs formed. These are lying on soft layers in particular on steep shady slopes at high altitudes and in high Alpine regions. In some cases the various wind slabs have bonded still only poorly with each other and the old snowpack. On Wednesday the wind slabs will increase in size additionally.

Tendency

The weather conditions will prevent a rapid stabilisation of the snow drift accumulations.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Thursday 16 03 2023



Wind slab



Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **small**

Fresh wind slabs require caution.

As a consequence of new snow and a sometimes strong northwesterly wind, mostly small wind slabs formed on Wednesday. The fresh wind slabs can be released by a single winter sport participant in isolated cases in particular on steep shady slopes. The wind slabs are to be avoided in particular in terrain where there is a danger of falling. Caution is to be exercised adjacent to ridgelines and in gullies and bowls.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

2 to 10 cm of snow has fallen since Tuesday above approximately 1800 m. As a consequence of new snow and a strong wind, sometimes avalanche prone wind slabs formed. These are lying on soft layers in particular on steep shady slopes at elevated altitudes. On Wednesday the wind slabs will increase in size additionally. Snow depths vary greatly, depending on the influence of the wind. In these regions only a small amount of snow is lying for the time of year.

Tendency

The meteorological conditions will prevent a rapid stabilisation of the snow drift accumulations.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Thursday 16 03 2023



Wind slab



Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **small**

Fresh wind slabs require caution.

As a consequence of new snow and a sometimes strong wind, mostly small wind slabs formed since Tuesday in particular at elevated altitudes. The fresh wind slabs can be released by a single winter sport participant in isolated cases in particular on steep shady slopes. The wind slabs are to be avoided in particular in terrain where there is a danger of falling. Caution is to be exercised adjacent to ridgelines and in gullies and bowls. The avalanche prone locations are rather rare but are barely recognisable because of the poor visibility.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

In some localities up to 10 cm of snow has fallen since Tuesday. As a consequence of new snow and a strong wind, sometimes avalanche prone wind slabs formed. These are lying on soft layers in particular on steep shady slopes at high altitudes and in high Alpine regions. On Wednesday the wind slabs will increase in size additionally.

Hardly any weak layers exist in the old snowpack. Snow depths vary greatly, depending on the influence of the wind.

The solar radiation will give rise in the early morning to slight moistening of the snowpack.

Tendency

The weather conditions facilitated a gradual stabilisation of the snow drift accumulations. As a consequence of warming during the day and solar radiation moist snow slides and avalanches are possible.